

THE JOURNAL OF HORTICULTURAL SCIENCE

BOARD OF EDITORS

Joint Editors:

- P. W. TALBOYS, B.Sc., Ph.D., D.I.C., F.I.Biol., East Malling Research Station, Maidstone, Kent.
D. WILSON, B.Sc., Ph.D., M.I.Biol., Long Ashton Research Station, University of Bristol.

Assistant Editor:

- G. K. ARGLES, Dip. Hort. (Wye), A.I.C.T.A., Cherry Hill, Sutton Valence, Maidstone, Kent.

Associate Editors:

- J. P. HUDSON, M.B.E., G.M., M.Sc., Ph.D., N.D.H., Long Ashton Research Station, University of Bristol.
J. C. FIDLER, O.B.E., B.Sc., Ph.D., M.Inst.R., East Malling Research Station, Maidstone, Kent.
G. H. FREEMAN, M.A., Dip.Stat., Ph.D., National Vegetable Research Station, Wellesbourne, Warwick.
H. C. PEREIRA, Ph.D., D.Sc., F.R.S., East Malling Research Station, Maidstone, Kent.
G. W. WINSOR, B.Sc., Ph.D., A.R.I.C., D.I.C., Glasshouse Crops Research Institute, Worthing Road, Rustington, Littlehampton, Sussex.

PUBLICATION COMMITTEE

- | | |
|---|--------------------------------------|
| L. BROADBENT, Ph.D., D.Sc. | G. C. WILLIAMS, N.D.H. |
| E. E. CHEESMAN, D.Sc., A.R.C.S. | C. H. CADMAN, B.Sc., Ph.D., F.R.S.E. |
| J. P. HUDSON, M.B.E., G.M., M.Sc.,
Ph.D., N.D.H. | O. V. S. HEATH, D.Sc., F.R.S. |
| P. A. HUXLEY, Ph.D. | H. C. PEREIRA, Ph.D., D.Sc., F.R.S. |
| F. A. ROACH, B.Sc. | W. W. SCHWABE, D.Sc. |
| D. RUDD-JONES, M.A., Ph.D. | F. R. TUBBS, C.B.E., M.Sc., Ph.D. |
| | D. W. WRIGHT, M.A. |

VOL. 47

1972

HEADLEY BROTHERS LTD
The Invicta Press Ashford Kent
England

SB4
J68

THE JOURNAL OF HORTICULTURAL SCIENCE

HONORARY ASSOCIATES

D. AKENFAD, O.B.E., M.A., B.Sc.

W. BROWN, M.A., D.Sc., F.R.S.

E. R. HOARE, B.Sc., M.I.E.E.

H. G. H. KEARNS, O.B.E., B.Sc., Ph.D.

Sir EDWARD SALISBURY, C.B.E., D.Sc.,
LL.D., F.L.S., V.M.H., F.R.S.

F. G. ANDERSSSEN, B.Sc., Ph.D.

M. B. CRANE, A.L.S., V.M.H., F.R.S.

T. N. HOBLYN, O.B.E., Hort. Dip.

J. PHILP, C.B.E., B.Sc. Ph.D.

R. H. STOUGHTON, D.Sc., V.M.H.

TABLE OF CONTENTS

JOURNAL OF HORTICULTURAL SCIENCE, VOL. 47

No. 1 (JANUARY 1972)

	PAGE
Iron heptonate—a new chelate for controlling iron deficiency in plants. By P. D. W. BIRCH	1-3
The improvement of seedling production in two subfertile raspberry crosses following the application of growth substances. By PAULINE B. TOPHAM and ELEANOR CARMICHAEL	5-9
Effects of nutrition and hormones on growth and apical dominance in tea (<i>Camellia sinensis</i> (L.) O. Kuntze). By S. KULASEGARAM and A. KATHIRAVETPILLAI	11-24
Distribution of ¹⁴ C-labelled assimilates in flowering carnation plants. By G. P. HARRIS and B. JEFFCOAT	25-35
Comparative studies on the growth of healthy and virus-infected rhubarb. By D. G. A. WALKER and VALERIE C. COOPER	37-41
Fertilizer experiments with outdoor lettuce. By M. A. SCAIFE, J. WEBBER and D. JONES	43-55
Studies on crop maturity in cauliflower: III. Effects of cold treatment and certain growth regulators on crop maturity characteristics and yield. By P. J. SALTER and R. JANE WARD	57-68
The effects of gibberellic acid on flowering and seed production in carrots. By DOV GLOBERSON	69-72
Effects of rootstocks, old clone and nucellar scions on the mineral composition of citrus tree leaves. By A. BAR-ANKIVA, V. HILLER and J. PATT	73-79
Long-term effects of soil management treatments on soil physical conditions in a factorial citrus experiment. By P. R. CARY and G. W. EVANS	81-91
The effect of phosphorus applications on the strawberry cultivar Acadia. By C. R. BLATT	93-96
Effects of interstock length and vigour on the field performance of Cox's Orange Pippin apples. By M. S. PARRY and W. S. ROGERS	97-105
Yellow mottle disease of ornamental cherries caused by a strain of prune dwarf virus. By S. RAMASWAMY and A. F. POSNETTE	107-112
Flower formation in <i>Chrysanthemum morifolium</i> : the influence of light level. By K. E. COCKSHULL and A. P. HUGHES	113-127

No. 2 (APRIL 1972)

Obituary: Harold Bradford Tukey	129-130
Estimation of leaf area of tea (<i>Camellia sinensis</i> , L.) from linear measurements. By R. FORDHAM and MARGARET E. HOLGATE	131-135
Partitioning of dry matter by the tomato. By A. J. COOPER	137-140

	PAGE
Productivity of virus-tested carnation clones and the rate of re-infection with virus. By M. HOLLINGS, OLWEN M. STONE and D. R. SMITH ..	141-149
Reaction of 25 apomictic apple rootstock selections to inoculation with mixtures of 'latent' viruses. By HANNA SCHMIDT	151-157
The effect of 'latent' virus infections on the yield of maiden trees on 20 apomictic apple seedling rootstocks. By HANNA SCHMIDT ..	159-163
Seasonal periodicity of black currant root growth and the influence of simulated mechanical harvesting. By D. ATKINSON	165-172
Effect of succinic acid 2,2-dimethyl hydrazide on flowering and gibberellic acid contents of sweet cherry (<i>Prunus avium</i> L.). By KAY RYUGO and S. SANSAVINI	173-178
Cytokinin-like properties of the systemic fungicide benomyl. By K. G. M. SKENE	179-182
Effect of water stress and high temperature on nitrate reduction in citrus leaves. By A. SHAKED, A. BAR-AKIVA and K. MENDEL	183-190
Pollen germination and pollen-tube characteristics in a range of apple cultivars. By K. G. STOTT	191-198
Fruit size in black currant and the assessment of crop potential. By R. A. WEBB	199-204
Responses of pomegranate (<i>Punica granatum</i> L.) to Alar (succinic acid 2,2-dimethyl hydrazide). By ENAYAT TAFAZOLI and M. BADIADEGAN	205-208
Sorbitol and carbohydrate content in apple skin. By CALVIN CHONG, W. W. CHAN and C. D. TAPER	209-213
Effects of Cycocel (2-chloroethyltrimethylammonium chloride) and Alar (N-dimethylaminosuccinamic acid) on the yield of carrots. By P. W. DYSON	215-220
Observations on the growth of roots and shoots of tea (<i>Camellia sinensis</i> , L.) in Southern Malawi. By R. FORDHAM	221-229
Effects of day and night temperatures and carbon dioxide enrichment on yield of glasshouse tomatoes. By A. CALVERT	231-247
Growth regulator effects on quality and pre-harvest drop of Worcester Pearmain apples. By L. C. LUCKWILL and R. D. CHILD	249-254
Depressing effects of virus infection on adventitious root production in apple hardwood cuttings. By B. H. HOWARD	255-258
The eradication of seed-borne <i>Septoria lactucae</i> Pass. from lettuce with aerated steam (<i>Research Note</i>). By A. L. BERTUS	259-261
An improved medium for strawberry meristem culture (<i>Research Note</i>). By A. N. ADAMS	263-264
Mycoplasmas in the phloem of coconut, <i>Cocous nucifera</i> L., with lethal yellowing disease (<i>Research Note</i>). By A. BERYL BEAKBANE, C. H. W. SLATER and A. F. POSNETTE	265

No. 3 (JULY 1972)

	PAGE
A useful method for conducting carrot shape studies. By RONALD D. SMEE	267-277
A method for screening <i>Phaseolus</i> genotypes for tolerance to low temperatures. By R. B. AUSTIN and M. S. M. MACLEAN	279-290
The effect of shading and Alar application on apple root : shoot ratios in Western Australia. By J. E. L. CRIPPS	291-299
Rooting response of plum hardwood cuttings to IBA in relation to treatment duration and cutting moisture content. By N. NAHLAWI and B. H. HOWARD	301-307
Use of the Boundary Line in the analysis of biological data. By R. A. WEBB	309-319
Field control of strawberry fruit rot (<i>Botrytis cinerea</i> Fr.) by fungicides (II). By MARGERY BENNETT	321-327
Apple rootstock studies: growth of trees on three clonal rootstocks planted with or without roots. By A. P. PRESTON	329-335
The effect of gibberellins and cytokinins on fruit development of Bramley's Seedling apple. By IRENA MODLIBOWSKA	337-340
The influence of container volume, solution concentration, pH and aeration on dry matter partition by tomato plants in water culture. By A. J. COOPER	341-347
Methods of increasing water loss from apples to reduce low temperature breakdown. By R. B. H. WILLS and K. J. SCOTT	349-355
Observations on the control of the stem nematode <i>Ditylenchus dipsaci</i> of tulips with hot water or thionazin treatment. By A. L. WINFIELD ..	357-364
The influence of bulb size, bulb cutting and separation of axillary shoots on seed production of onion (<i>Allium cepa</i> L.). By J. H. GREEN ..	365-368
The mode of action of ethephon in increasing health of gladiolus corms. By S. SIMCHON, Y. SILBERSTEIN, A. H. HALEVY and Y. HENIS ..	369-374
Studies on sulphur nutrition and flavour production in watercress (<i>Rorippa nasturtium-aquaticum</i> (L) Hayek). By G. G. FREEMAN and N. MOSSADEGHI	375-387
Reduction of low temperature breakdown in apples with gibberellic acid. By R. B. H. WILLS and K. J. SCOTT	389-394
The emergence and early growth of French and runner beans (<i>Phaseolus vulgaris</i> L. and <i>Phaseolus coccineus</i> L.) sown on different dates. By R. C. HARDWICK	395-410
Wind as a limitation on the growth and yield of strawberries. By P. D. WAISTER	411-418
The effects of glass cloche and coloured polyethylene tunnels on microclimate, growth, yield and disease severity of strawberry plants. By V. W. L. JORDAN and T. HUNTER	419-426

	PAGE
Editorial note: Nomenclature of Malling apple rootstocks	427
Induction of second flowering in the strawberry cultivar Redgauntlet. By F. BENOIT	429-439
Growth and chemical responses of bean plants to sublethal concentrations of <i>s</i> -triazine compounds. By B. SINGH, D. K. SALUNKHE and S. H. LIPTON	441-448
Hormonal changes in the stem apex of the cauliflower plant in relation to curd development. By T. H. THOMAS, J. N. LESTER and P. J. SALTER	449-455
Effect of shoot number and time of planting on growth, development and yield of cassava (<i>Manihot esculenta</i> Crantz). By B. A. C. ENYI ..	457-466
Effect of season on the carnation (<i>Dianthus caryophyllus</i> L.). I. Growth rate. By A. C. BUNT	467-477
The residual effects of nitrogen, calcium and soil management treatments on yield, fruit size and composition of citrus. By P. R. CARY ..	479-491
Bulb formation in onions as affected by photoperiod and special quality of light. By R. B. AUSTIN	493-504
Studies on dormancy of gladiolus corms. I. Refinement of the triphenyl tetrazolium chloride method for estimating the dormancy of gladiolus corms. By S. SIMCHON, RUTH SHILO and A. H. HALEVY	505-508
Comparison of chemical and physical indices of maturing and ripening pear fruit. By RONALD J. AMEN and NORMAN F. HAARD	509-516
Effects of salts on the growth and chemical composition of okra (<i>Abelmo- schus esculentus</i>) and sponge-gourd (<i>Luffa cylindrica</i>). By K. V. PALIWAL and G. L. MALIWAL	517-524
Effects of growth-regulating substances and tree orientation on growth and flower-bud formation in apple. By J. TROMP	525-533
Chemicals tested for control of black currant gall mite, <i>Cecidophyopsis ribis</i> (Westw.). By G. H. L. DICKER, R. G. GAMBRILL and M. A. EASTERBROOK	535-539
Combined influence of mulches and transplanting on earliness and yield of muskmelon, <i>Cucumis melo</i> L. By M. LERON ROBBINS, LEWIS E. PETERSON and JACK L. WEIGLE	541-545
The influence of controlled atmospheres on the respiration rates and storage, behaviour of strawberry fruits. By J. R. WOODWARD and A. J. TOPPING	547-553
Anthocyanin content of Jonathan apple peel and the development of low temperature breakdown (<i>Research Note</i>). By R. B. H. WILLS and B. D. PATTERSON	555-556